

Assignment 6

Instructions

- Deadline: **November 27 (4:00 pm)**
- Format: Hard copy (on paper) only. **Submissions by MIO will not be accepted.**
- Please show all of your work on your submission.
- Notation counts. Poor notation will result in a loss of marks.
- Please leave your answers as exact values. If using decimals, please report your answer to four decimal places.
- You are encouraged to ask your instructor for help, and/or discuss ideas with your classmates. However, you must produce fully explained individual solutions.
- Under no circumstances may you simply copy solutions obtained online or from a classmate.
- In unclear cases, you may be asked to explain your solutions in a Teams meeting, and your work may be refused altogether.

1. Succulents

Global demand for brightly coloured succulents is now so high that crime rings are illegally trafficking rare varieties.

Suppose the weight of these succulents is normally distributed with a mean of 220 grams and a standard deviation of 15 grams.

- (a) What is the probability that a randomly selected succulent weighs less than 225 grams?
- (b) If a random sample of 60 succulents were selected. What is the probability that the sample mean weight will be greater than 223 grams?
- (c) If a random sample of 70 succulents were selected. What is the probability that the sample mean weight will be between 217 and 223 grams?

2. Capuchin Monkeys

Capuchin monkeys test their social bonds by poking each other in the eye.

A primatologist studying capuchin monkeys collects data on the weight (in kilograms) of adult capuchins in a particular forest. It is known that the weights are normally distributed with a mean of 3.5 kilograms and a standard deviation of 0.6 kilograms.

- (a) What is the probability that a randomly selected capuchin monkey weighs less than 4.2 kilograms?
- (b) Suppose that there are 10 capuchin monkeys at the zoo. What is the probability the less than three of them weigh less than 4.2 kilograms?
- (c) A random sample of 20 capuchin monkeys are selected. What is the probability that the sample mean weight will be greater than 3.55 grams?
- (d) A random sample of 20 capuchin monkeys are selected. What is the probability that the sample mean weight will be between 3.33 and than 3.66 grams?

3. Vandals

In 1980s San Francisco, gangs of vandals were hired to slash train seats to ensure repair teams got more work. The cushions were cut in specific patterns so the repairs company knew who to pay.

A transit investigator collects a random sample of 40 train seats and measures the depth of the cuts (in millimeters). The sample yields an average cut depth of 12.8 mm . From previous investigations, the population standard deviation is known to be 3.5 mm.

- (a) Construct and interpret a 95% confidence interval for the true mean depth of cuts made by these hired vandals.
- (b) Suppose a repair company claims that the average depth of the seat cuts made by hired vandals was at least 12 millimeters. Based on the 95% confidence interval you constructed, can this claim be validated? Justify your answer.
- (c) If the investigator wants the margin of error for the 95% confidence interval to be no more than 0.5 mm, what is the minimum sample size needed?

4. Octopuses

Octopuses can hold years-long grudges against keepers they don't like, lying in wait to ambush them with jets of water whenever they see them.

At a marine research center, a biologist records the number of ambushes by each of 12 octopuses against their least favorite keeper over a one-month period. The data yields a sample mean of 8.2 ambushes, with a sample standard deviation of 2.5 ambushes.

- (a) Construct and interpret a 90% confidence interval for the true mean number of ambushes held in grudge by octopuses.
- (b) Construct and interpret a 95% confidence interval for the true mean number of ambushes held in grudge by octopuses.
- (c) Construct and interpret a 99% confidence interval for the true mean number of ambushes held in grudge by octopuses.
- (d) Consider the three intervals above. Which interval is the most precise? Why?

5. Forks

Forks were banned for sailors in the British Navy as late as the 1890s because they were considered 'unmanly'.

A historian studying old naval records randomly selects 180 sailors from ships in the 1880s and finds that 115 of them reported using only knives and spoons during meals.

- (a) Construct and interpret a 98% confidence interval for the true proportion of British Navy sailors in the 1880s who did not use forks.
- (b) A historian wants to estimate the true proportion of sailors who did not use forks with a 95% confidence level and a margin of error of no more than 4%. A preliminary study suggests that about 65% of sailors avoided using forks. What is the minimum sample size the historian should use?
- (c) Construct and interpret a 98% lower confidence bound for the true proportion of British Navy sailors in the 1880s who did not use forks.